



ADVANCE GAUNTLET & STEADY BRACES

PLACE ACCOUNT LABEL HERE

Please use the most recent order form at sololabs.com/order-forms
Updated 11/10/25

P.O. Number

PATIENT INFORMATION

Name

Shoe Size* ☐ Male ☐ Female
(for shoe sizing)

Date of Birth Weight

☐ Shoes/ Insoles Enclosed

Previous Rx # Date

Order Options

ADDITIONAL
CHARGES
WILL APPLY

☐ US Mail Labels (Qty 5)

☐ UPS Labels (Qty 5)

☐ RUSH - 7-10 Business Days

☐ OVERNIGHT SHIPPING (RUSH
CHARGES DO NOT INCLUDE
OVERNIGHT SHIPPING)

SHIPPING INFORMATION IF SHIP TO PATIENT OR
LOCATION OTHER THAN THE ACCOUNT LABEL

Street Address

City

State & ZIP

Physician's Signature

☐ Send Account Barcode Labels



Scan for order forms

To expedite the processing of your order, please call ahead with questions.

Activity Level: ☐ Non Ambulatory ☐ Low/Transfer ☐ Medium ☐ High/Active

Diagnosis:

Primary reason for the device:

Clinical Observation:

Ankle: ☐ Normal/Flexible ☐ Limited ☐ Fixed/Fused

Forefoot: ☐ Normal/Flexible ☐ Limited ☐ Fixed/Fused

Special Instructions:

ADVANCE GAUNTLET ☐ Left Only ☐ Right Only ☐ Bilateral



☐ SEMI-RIGID



☐ FLEXIBLE



☐ ARTICULATING
☐ DORSI-ASSIST

Closure Type: ☐ All Laces ☐ Lace w/ Speed Hooks ☐ Boot Hooks
☐ All Velcro® ☐ Combination (laces with one Velcro strap at top)


Color: ☐ Black ☐ Dark Beige ☐ Dark Brown ☐ Wine
☐ White ☐ Light Beige ☐ Medium Brown

Height: (Measured from base heel to top of collar)
☐ 7" ☐ 9" ☐ As Marked on Cast Other

Cast Modifications: ☐ Lab Discretion
Ankle: ☐ Correct to Neutral ☐ Leave as Casted
Forefoot: ☐ Correct to Neutral ☐ Leave as Casted

Accommodations: ☐ Metatarsal Pad ☐ Navicular Pad ☐ Plastazote Lining
☐ Soft Spot Padding (mark on cast) ☐ Styloid Pad

Circumference Measurements:



(Items highlighted in Bold are Standard)

ADVANCE STEADY ☐ Left Only ☐ Right Only ☐ Bilateral



☐ MORE FLEXIBLE
☐ 3MM POLYPROPYLENE (standard)
☐ MORE RIGID

Closure Type: ☐ Velcro® D-Ring
☐ Velcro® No D-Ring

Lining: ☐ Plastazote Diabetic Option

Height: (Measured from base heel to top of collar)
☐ 7" ☐ 9" Other

Cast Modifications: ☐ Lab Discretion
☐ Correct to 90°
☐ Leave as Casted



Scan for product details

*If shoe size is not supplied, any repair charges needed will be applied.